


Überblick

Informationen zum Produkt



Relay module-DM72-RMUS-32-PN-1-4M-00A(H)-30030000105

Subminiature Relay Module,with 40P Horn connector,with relay Socket ,can install 32 relay,with relay Socket,with indicator light,panasonic relay,PNP or NPN signal can be input (Please contact us for relay replacement)

Produktvorteile

- ☑ Each signal channel and power supply voltage have LED status indicators
- ☑ Pluggable subminiature relay, with a set of normally open contacts, one-to-one output at the output
- ☑ Suitable for NPN, PNP controller
- ☑ Freewheeling diode for each signal path
- ☑ Prefabricated cables, plug and play, fast wiring

Zertifizierung von Produkten

Technische Daten

Produktzeichnung

3D-Modell

□

Overview

Installation location	Arbitrary
Number of channels	32
Shell Insulation Materials	PVC/PA66
color	green

Dimension

length	221mm
width	90mm
Height	61mm

Environmental data

Ambient temperature (operation)	-20 °C ... 70 °C
Ambient temperature (storage / transport)	-20 °C ... 70 °C

Standards/Regulations

Standards/Regulations	IEC61810
Pollution level	3
Overvoltage category	III

Output technical data

Contact type	1NO
Maximum switching voltage	240VAC 30VDC
Limit continuous current	5A
Fault monitoring (open circuit/short circuit)	no

Output connection data

Connection name	Output
Connection method	Screw connection
Stripping length	6-7mm
screw thread	M3
Connection volume	3
Number of digits	32/2
Hard wire cross section	1.0 ... 2.5mm ²
Cross section of flexible conductor	1.0 ... 2.5mm ²
Connectable guide cross section AWG	28 ... 12AWG

Enter connection data

Rated input voltage	24VDC
Relative to UN input voltage range	0.9....1.1

Protected name	Polarity protection
Protection circuit/component	Polarity protection diode
Status display/channel	green
Connection name	input
Connection method	IDC/MIL connectors
Connection volume	1
Number of digits	40

Zubehör

Accessories

Wire harness

DX210-4S-500-00A(H)

Die Geschäftsdaten

Nummer der Bestellung	30030000105
Verpackung Einheit	1
Minimale Bestellmenge	10
Produktgewicht (ohne Verpackung)	300