


Überblick

Informationen zum Produkt



Relay module-DM108-RM-08-PN-2-4M-01A(H)-30030000045

ordinary Relay Module,with 20P Horn connector,with relay Socket ,8 ordinary relays can be installed,with 1C/O,with indicator light,Omron relay,PNP or NPN signal can be input (Please contact us for relay replacement)

Produktvorteile

- ☑ Each signal channel and power supply voltage have LED status indicators
- ☑ Pluggable ordinary relay, with 1C/O changeover contact, one-to-one output at the output terminal
- ☑ Suitable for NPN, PNP controller
- ☑ Freewheeling diode for each signal path
- ☑ Prefabricated cables, plug and play, fast wiring

Zertifizierung von Produkten

Technische Daten

Produktzeichnung

3D-Modell

□

Overview

Installation location	Arbitrary
Number of channels	8
Shell Insulation Materials	PVC/PA66
color	green

Dimension

length	110.5mm
width	125mm
Height	70mm

Environmental data

Ambient temperature (operation)	-20 °C ... 70 °C
Ambient temperature (storage / transport)	-20 °C ... 70 °C

Standards/Regulations

Standards/Regulations	IEC61810
Pollution level	3
Overvoltage category	III

Output technical data

Contact type	1C/O
Maximum switching voltage	240VAC 30VDC
Limit continuous current	16A
Fault monitoring (open circuit/short circuit)	no

Output connection data

Connection name	Output
Connection method	Screw connection
Stripping length	6-7mm
screw thread	M3
Connection volume	8
Number of digits	3
Hard wire cross section	1.0 ... 2.5mm ²
Cross section of flexible conductor	1.0 ... 2.5mm ²
Connectable guide cross section AWG	28 ... 12AWG

Enter connection data

Rated input voltage	24VDC
Relative to UN input voltage range	0.9....1.1

Protected name	Polarity protection
Protection circuit/component	Polarity protection diode
Status display/channel	green
Connection name	input
Connection method	IDC/MIL connector + screw connection
Connection volume	1
Number of digits	20

Zubehör

Accessories

Wire harness

DX213-1S-500-00A(H)

Die Geschäftsdaten

Nummer der Bestellung	30030000045
Verpackung Einheit	2
Minimale Bestellmenge	10
Produktgewicht (ohne Verpackung)	360