

Überblick

Informationen zum Produkt



Relay module-DM50-RMUS-04-PN-1-44-00A(H)-30030000107

Subminiature Relay Module,with relay Socket ,4 relays can be installed,with relay Socket,with indicator light,panasonic relay,PNP or NPN signal can be input (Please contact us for relay replacement)

Produktvorteile

- ☑ Each signal channel and power supply voltage have LED status indicators
- ☑ Pluggable subminiature relay, with a set of normally open contacts, one-to-one output at the output
- ☑ Suitable for NPN, PNP controller
- ☑ Freewheeling diode for each signal path
- ☑ Compact size, saving space in the cabinet

Zertifizierung von Produkten

Technische Daten

Produktzeichnung

3D-Modell

□

Overview

Installation location	Arbitrary
Number of channels	4
Shell Insulation Materials	PC
color	black

Dimension

length	65.6mm
width	60mm
Height	31mm

Environmental data

Ambient temperature (operation)	-20 °C ... 70 °C
Ambient temperature (storage / transport)	-20 °C ... 70 °C

Standards/Regulations

Standards/Regulations	IEC61810
Pollution level	3
Overvoltage category	III

Output technical data

Contact type	1NO
Maximum switching voltage	240VAC 30VDC
Limit continuous current	5A
Fault monitoring (open circuit/short circuit)	no

Output connection data

Connection name	Output
Connection method	Screw connection
Stripping length	6-7mm
screw thread	M3
Connection volume	1
Number of digits	8
Hard wire cross section	1.0 ... 2.5mm ²
Cross section of flexible conductor	1.0 ... 2.5mm ²
Connectable guide cross section AWG	28 ... 12AWG

Enter connection data

Rated input voltage	24VDC
Relative to UN input voltage range	0.9....1.1

Protected name	Polarity protection
Protection circuit/component	Polarity protection diode
Status display/channel	green
Connection name	input
Connection method	screw connection
Stripping length	6-7mm
screw thread	M3
Connection volume	1
Number of digits	6
Hard wire cross section	1.0 ... 2.5mm ²
Cross section of flexible conductor	1.0 ... 2.5mm ²
Connectable guide cross section AWG	28...12AWG

Zubehör

Die Geschäftsdaten

Nummer der Bestellung	30030000107
Verpackung Einheit	2
Minimale Bestellmenge	10
Produktgewicht (ohne Verpackung)	80