

Überblick

Informationen zum Produkt



ESS-70A-10-B-BK-00-20160003022

Energy storage connector, product range: ESS socket, color: black, wire cross section: 6 mm², rated voltage: 1000V, rated current: 70 A, connection method: copper bar, contact type: pin

Produktvorteile

- ☒ Degson has its own patented design
- ☒ There are no safety locks
- ☒ There's a free spin of 360°
- ☒ There's no electric shock protection
- ☒ There's no wrong insertion or short circuit

Zertifizierung von Produkten



Technische Daten

Produktzeichnung

3D-Modell

□

Environment condition

Protection grade (pair plug)	IP67
Ambient temperature (operation)	-40°C ~ +125°C
Ambient temperature (storage/transportation)	-40°C ~ +80°C
Altitude	2000m

Mechanical properties

Plugging times	100
Insertion force	<55N

Pullout force	>10N
Electrical parameters	
Insulation resistance	>5000MΩ
Electrical parameters	
Pollution level	3
Rated current	70A
	1000V
Contact resistance	≤0.5mΩ
Wiring data	
Wiring mode	Busbar
Standards and specifications	
Standard/Specification	UL4128
Material data	
Insulating material	Nylon
Halogen-free	Compliance with standards
Environmental protection matters	REACH/RoHS compliant
Sealing ring material	Silicone
Contact material	Copper alloy
Shell color	Black
Flammability rating	UL94V-0

Zubehör

Die Geschäftsdaten	
Nummer der Bestellung	20160003022

Verpackung Einheit	75
Minimale Bestellmenge	75
Produktgewicht (ohne Verpackung)	11.5